
Stair Ladder - SLM

Premium grade timber 3 section folding ladder for use in standard roofs



Customer Profile:

Suits customers who will use the ladder regularly and who want a premium style ladder.

Suits customers who want the maximum of climbing safety and easy access

Timber ladders suit customers who want a "furniture grade ladder" and who prefer to install the ladder in the interior of their home

Suitable for applications where young people or people with less mobility will use the ladder

Customer Benefits:

- Wide, deep treads and gentle 57° ladder angle mean safe, easy climbing.
- Exclusive articulated hatch offers maximum climbing safety.
- Choice of two opening sizes:
 - Wide 700mm gives easy everyday access for broad shouldered people.
 - Super wide 900mm opening - ultimate access for broad shouldered people and the largest of packages.
- Hand crafted in Australia from premium Australian hoop pine giving good looks and reliability.
- Double lacquer coated ladder sections gives highest quality appearance.
- Adjustable heavy duty double tension spring, heavy duty hinge and spring assisted ladder sections for finger tip operation.
- Heavy duty 20mm laminated hatch for sound and thermal insulation.
- Strong, stable 410kg spread load capacity for long life with everyday use.
- Full length handrail is standard for great climbing stability.
- Metal in-ceiling hand rail and roof space skirt give more security.

Accessory	Application
Storage tubs	Dust resistant poly storage tubs 55 litre capacity with contents label
Turbine ventilators	Quality Edmonds "Windmaster" turbine ventilators. Ventilates and controls temperature and moisture
Turbo beam turbine ventilator	All new "Turbo Beam" clear turbine ventilator. Keeps your Attic cooler in summer and gives light all year round.
Ceiling hand rail	Standard on Stair Ladder models
Balustrade	Added security of a rail around your ceiling opening
Dust seal	High density foam dust seal on hatch door
Special order finish	Choice of Walnut, Jarrah, Cypress or Brush box stain finish to suit your décor (allow 3 weeks to installation)
Super Wide opening	Increases ceiling opening size to 880mm
TRI lock	Locks from below to limit access from above or below
Dust proof rooms	Ask us about dust proof rooms or see the dust proof room section.

Model	For normal roof applications
SLM 259	Up to 2.6 metres
SLM 270	Up to 2.7 metres
SLM 300	Up to 3.0 metres
SLM 320	Up to 3.2 metres
SLM 350	Up to 3.50 metres


Stair ladder - SLM

Premium grade 3 section folding ladder in timber for use in standard roofs

Technical Specifications:

Features:

- Superior fine-grained plantation grown Australian Hoop Pine timber.
- Side rails tenoned, step treads grooved, glued and screwed. All ladder sections lacquered.
- Solid laminated ceiling panel with latch.
- Plated glove-type hinges link step sections.
- Plated adjustable balance springs.
- Heavy duty plated hardware.
- Side assist springs on ladder sections.
- Generous sized ceiling openings.
- Sizes to reach up to 3.50 metre ceilings.
- Laminated external box frame.
- Full length safety handrail and metal in ceiling handrail.
- Comes completely assembled.
- Suitable for DIY by general handyperson or professional installation by Attic Ladders tradespeople.



Model	Opening(A/B)	Floor-Ceiling(E) (No of treads)	Standout(C)	Foldout(D)
SLM 259	690 x 1195mm	2.6mt (11)	1550mm	1700mm
SLM 270	690 x 1195mm	2.7mt (11)	1700mm	1850mm
SLM 300	690 x 1295mm	3.0mt (12)	1850mm	2000mm
SLM 320	690 x 1440mm	3.2mt (12)	1950mm	2100mm
SLM 350	690 x 1440mm	3.5mt (12)	1970mm	2100mm
	Tread	Stile	Hatch	Casing
Materials	Hoop pine	Hoop pine	Laminated	Laminated
Dimensions	Tread	Stile	Packed	Casing
Depth	107mm	84mm	1200mm/1450mm	1195mm/1440mm
Thickness	19mm	19mm	460mm	200 x 19mm
Width	380mm		700mm	700mm
Weight	40 - 49 kg			
Load capacity	410kg spread load			